

## INDEX TO VOLUME 108

COMPILED BY K. ELIZABETH K. PACALA

This index is primarily one to new information. Previously published information referred to in this volume has not been indexed unless extensive comparisons or reinterpretations are involved. For some species, especially ones not in the AOU check-list, only scientific names have been entered, and, in some instances, entries under scientific names are more extensive than those under vernacular names. New generic, specific, and subspecific names are printed in **boldface** type.

- Accipiter gentilis*, 342-346  
*Actitis macularia*, 904-908, 946-949, 950  
*Aegolius acadicus*, 437-439  
Africa, 820-829  
Age, determination of, 157  
*Agelaius phoeniceus*, 16-23, 196-197, 562-566, 602-609, 711-714  
Ahlquist, Jon E., see Sibley, Charles G., and ———  
*Aimophila aestivalis*, 723-725  
Ainley, David G., see Pyle, Peter, et al.  
Albatross, Black-browed, 801-808; Gray-headed, 801-808; Wandering, 801-808  
Alberico, Julie A. R., J. Michael Reed, and Lewis W. Oring, Nesting near a Common Tern colony increases and decreases Spotted Sandpiper nest predation, 904-911  
Aldrich, John W., and Frances C. James, Ecogeographic variation in the American Robin (*Turdus migratorius*), 230-249  
Alisauskas, Ray T., see Arnold, Todd W., et al.  
*Alle alle*, 71-76  
*Amazilia amabilis*, 114-124, 128  
*A. tzacatl*, 114-124, 128  
*Amblycercus holosericeus*, 114-124, 130  
American Ornithologists' Union, Bird Trade Subcommittee of the AOU Conservation Committee, Commentary: The conservation crisis: International trade in live exotic birds creates a vast movement that must be halted, 982-984; Committee for the Conservation of the Red-cockaded Woodpecker, Commentary: The conservation crisis, 200-201; Proceedings of the One Hundred and Eighth Stated Meeting, 1AA-31AA; Thirty-eighth supplement to the American Ornithologists' Union Check-list of North American Birds, 750-754; William Brewster Memorial Award, 214-215  
Analytical methods (see Statistical and ———)  
*Anas americana*, 934-940  
*A. clypeata*, 934-940  
*A. discors*, 934-940  
*A. platyrhynchos*, 89-97  
*A. rubripes*, 89-97  
*A. sibilatrix*, 969-972  
Anatini, 471-488, 493-507  
Anatomy and morphology of *Agelaius phoeniceus*, 562-566; *Anas platyrhynchos*, 95, 96; *A. rubripes*, 95, 96; Anatini, 481-482, 497-498; *Crax daubentoni*, 153-158; *C. rubra*, 153-158; *Fratercula arctica*, 755-761; *Fulica americana*, 432-436; *Geospiza difficilis*, 202-203, 205; *G. fuliginosa*, 205; *Larus argentatus*, 329-340; *L. cachinnans*, 329-339; *L. hyperboreus*, 329-340; ***Nannopsittaca dachilleae***, 226-227; *Parus caeruleus*, 820-824, 826-828, 833-840; *Regulus calendula*, 880-887; *R. satrapa*, 880-887; *Spreo bicolor*, 53-58; *Turdus migratorius*, 230-245, 248-249  
Anderson, B. W., see Rosenberg, K. V., et al.  
Anderson, David J., Paul R. Sievert, John Andrews-Labenski, and Robert E. Ricklefs, A miniature activity recorder for plunge-diving seabirds, 257-263  
Anderson, Kathleen S., In memoriam: Joseph Archibald Hagar, 954-955  
Andrews-Labenski, John, see Anderson, David J., et al.  
Ani, Groove-billed, 114-124, 128  
Ankney, C. Davison, see Arnold, Todd W., et al.  
*Anous stolidus*, 594-600  
Antarctica, 790-798, 801-808  
Antbird, Bare-crowned, 114-124, 128; Bicolored, 114-124, 128; Chestnut-backed, 114-124, 128; Dusky, 114-124, 128; Ocellated, 114-124, 128; Spotted, 114-124, 128  
*Anthus pratensis*, 350-354  
Antshrike, Great, 114-124, 128; Slaty, 114-124, 128  
Ant-Tanager, Red-throated, 114-124, 129  
Anthrush, Black-faced, 114-124, 128  
Antwren, Checker-throated, 114-124, 128; White-flanked, 114-124, 128  
*Aphelocoma coerulescens*, 945  
*Aptenodytes forsteri*, 795-798  
Aracari, Collared, 114-124, 128  
*Ardea herodias*, 764-769  
*Arenaria interpres*, 904-908  
Argentina, 432-436, 923-932, 969-972  
Arizona, 79-86, 173-174, 175-176, 405-417, 619-634, 638-647, 649-659, 661-670  
Armstrong, Doug P., and Graham H. Pyke, Seasonal patterns of reproduction in heathland honeyeaters are not responses to changing nectar availability, 99-107  
Arnold, T. W., see Loughheed, S. C., et al.

- Arnold, Todd W., Ray T. Alisauskas, and C. Davison Ankney, Egg composition of American Coots in relation to habitat, year, laying date, clutch size, and supplemental feeding, 532-547
- Arremon aurantirostris*, 114-124, 130
- Arremonops conirostris*, 114-124, 130
- Attila, Bright-rumped, 114-124, 129
- Atilla spadiceus*, 114-124, 129
- Auklet, Least, 131-144; Rhinoceros, 842-850
- Australia, 99-105, 190-194, 688-693, 811-818
- Automolus ochrolaemus*, 114-124, 128
- Avocet, American, 771-777, 778
- Bailey, R. C., see Loughheed, S. C., et al.
- Baldassarre, Guy A., see Thompson, John D., and
- Banks, Richard C., Commentary: On forming an ornithological council, 208-209; review by, 999-1003
- Barbthroat, Band-tailed, 114-124, 128
- Barnes, Gregory G., and Thomas D. Nudds, Salt tolerance in American Black Ducks, Mallards, and their F1-hybrids, 89-98
- Barrowclough, George F., review by, 999
- Baryphthengus ruficapillus*, 114-124, 128
- Beebe, William, A monograph of the pheasants (rev.), 458
- Bee-eater, White-fronted, 673-685
- Beehler, Bruce M., editor of book reviews, 216-222, 445-459, 736-749, 985-1008; reviews by, 456, 743-744, 1004-1005
- Behavior, activity patterns, 934-940, 965-966; agonistic, 393, 396-398, 401, 427-428, 431, 664-665, 666, 667-668, 872-878, 915-916, 971; altruistic (see Communal breeding); antipredator, 20, 21, 655, 658, 719-722, 908; breeding, 60-69, 166-169, 170-173, 173-174, 175-176, 348-354, 371-379, 393-401, 649-659, 661-670, 780-788, 811-818, 896-902; copulatory, 652, 653; dominance, 8-14, 649-659; egg-rejection (see Behavior, breeding); feeding, 8-14, 227-228, 309-310, 313, 355-361, 381-390, 393-401, 427-429, 716-718, 780-788, 880, 884-887; feeding aggregation, 355-361, 801-808; flight, 1-6; hierarchical (see Behavior, dominance); incubation, 782; individual distance, 355-361, 653; interspecific, 427-429, 918; learning, 385, 387-388; mate replacement, 60-69, 294-301, 371-379, 782; mating preference, 153-158, 170-173, 429-431, 969-972; nest helper (see Communal breeding); nesting, 166-169, 170-173, 653-654, 661-670, 676-677, 782; nest-site tenacity, 65-66; pair, 780-788, 971-972; parental care, 40, 182-183, 371-379, 393-401, 427-429, 649-659, 719-722, 784-785, 788, 840-842, 867; roosting, 285-292, 616-617; sexual differences in, 306, 307-308, 311-312, 393-401, 782; site fidelity, 294-301, 688-693; social, 651-652, 661-670, 811-818, 896-902; status-signaling, 872-878; territorial, 46-47, 661-670, 896-902, 979-980; thermoregulatory, 934-939; vocal, 42-50, 429-431, 811-818, 979-980
- Behavior of *Anas acuta*, 934-940; *A. americana*, 934-940; *A. clypeata*, 934-940; *A. discors*, 934-940; *Carduelis flammea*, 166-169; *Catharacta lonnbergi*, 801-808; *Catharus fuscescens*, 979-980; *Cerorhinca monocerata*, 842-850; *Chloroceryle amazona*, 780-788; *Cinclus cinclus*, 427-429; *Cistothorus palustris*, 170-173; *Daption capense*, 801-808; *Diomedea chrysotoma*, 801-808; *D. exulans*, 801-808; *D. melanophris*, 801-808; *Eudytes chrysolophus*, 801-808; *Fregetta tropica*, 801-808; *Gyps africanus*, 1-6; *Junco hyemalis*, 371-379; *Larus dominicanus*, 801-808; *L. glaucescens*, 381-390; *Macronectes halli*, 801-808; *Malurus elegans*, 811-818; *Mimus polyglottos*, 429-431; *Motacilla cinerea*, 427-429; *Oceanites oceanicus*, 801-808; *Pachyptila desolata*, 801-808; *Parabuteo unicinctus*, 649-659, 661-676; *Phaethon lepturus*, 915-916; *Picoides nuttallii*, 303-313; *Procellaria aequinoctialis*, 801-808; *Puffinus gravis*, 801-808; *P. griseus*, 801-808; *Pygoscelis papua*, 801-808; *Regulus calendula*, 880, 884-887; *R. satrapa*, 880, 884-887; *Setophaga ruticilla*, 872-878; *Sitta pygmaea*, 173-174, 175-176; *Spizella pusilla*, 42-50, 355-361; *Tachycineta bicolor*, 393-401, 719-722; *Troglodytes aedon*, 60-69; *Turdus migratorius*, 965-966; *Tympanuchus cupido*, 896-902; *Xanthocephalus xanthocephalus*, 20, 21; *Zonotrichia albicollis*, 8-14, 355-361
- Beissinger, Steven R., and James R. Waltman, Extraordinary clutch size and hatching asynchrony of a Neotropical parrot, 863-871
- Bennett, Gordon F., see Weatherhead, Patrick J., et al.
- Bentbill, Northern, 114-124, 129
- Bertram, D. F., G. W. Kaiser, and R. C. Ydenberg, Patterns in the provisioning and growth of nestling Rhinoceros Auklets, 842-852
- Bird, David M., see Taylor, Rebecca L., et al.
- Bickart, K. Jeffrey, and Robert M. Chandler, Recent advances in the study of Neogene fossil birds (rev.), 447-449
- Blackbird, Red-winged, 16-23, 196-197, 562-566, 602-609, 711-715; Yellow-headed, 16-23
- Blackburn, T. M., An interspecific relationship between egg size and clutch size in birds, 973-977; Commentary: The interspecific relationship between egg size and clutch size in wildfowl, 209-211
- Blackcap, 350-354
- Blake, John G., and Bette A. Loiselle, Variation in resource abundance affects capture rates of birds in three lowland habitats in Costa Rica, 114-130
- Block, William M., Foraging ecology of Nuttall's Woodpecker, 303-317
- Bloom, Peter H., review by, 741
- Bluebird, Western, 34-40, 405-417
- Bluethroat, 350-354
- Boag, Peter T., see Seutin, Gilles, et al.
- Bobwhite, Northern, 509-517

- Boersma, P. Dee, see Stokes, David L., and ———
- Bombicilla cedrorum*, 177-179
- Booby, Brown, 260-262
- Book reviews, 216-222, 445-459, 736-749, 985-1008
- Bouvet, Jean, see Taberlet, Pierre, and ———
- Braa, Anders T., see Moksnes, Arne, et al.
- Brambling, 350-354
- Brant, 585-592
- Branta bernicla*, 585-592
- B. canadensis*, 585-592
- Brazil, 731-733
- Breeding of *Accipiter gentilis*, 342-346; *Actitis macularia*, 948-949, 950; *Agelaius phoeniceus*, 16-23; *Buteo buteo*, 342-346; *Carduelis flammea*, 166-169; *Certhia familiaris*, 180-183; *Chloroceryle amazona*, 780-788; *Cistothorus palustris*, 170-173; *Cuculus canorus*, 348-354; *Falco columbarius*, 294-301; *F. tinnunculus*, 342-346; *Forpus passerinus*, 863-870; *Junco hyemalis*, 371-379; *Larus occidentalis*, 25-32; *Merops bullockoides*, 673-685; *Molothrus ater*, 16-23, 348-354; *Pandion haliaetus*, 363-368; *Parabuteo unicinctus*, 619-634, 638-647, 649-659, 661-670; *Phaethon lepturus*, 911-921; *Phylidonyris nigra*, 99-105; *P. novaehollandiae*, 99-105; *Sitta pygmaea*, 173-174, 175-176; *Sturnus vulgaris*, 519-529, 889-894; *Tachycineta bicolor*, 393-401; *Troglodytes aedon*, 60-69, 277-283, 728-730; *Xanthocephalus xanthocephalus*, 16-23
- Breeding season of *Agelaius phoeniceus*, 18, 19; *Larus occidentalis*, 28, 30; *Merops bullockoides*, 675-677, 682; *Phaethon lepturus*, 915, 917; *Phylidonyris nigra*, 99-105; *P. novaehollandiae*, 99-105; *Xanthocephalus xanthocephalus*, 18, 19, 21-22
- Breeding success, 19, 25-32, 40, 60-69, 102-103, 104-105, 172, 180-183, 196-197, 277-283, 297-298, 300, 301, 342-346, 365-368, 371-379, 407-408, 412-414, 416, 519-529, 548-554, 678, 682-683, 722, 865-867, 911-921, 928, 930, 931-932, 942-951
- Breeding success of *Accipiter gentilis*, 342-346; *Actitis macularia*, 946-947; *Agelaius phoeniceus*, 196-197; *Aphelocoma coerulescens*, 945; *Buteo buteo*, 342-346; *Certhia americana*, 407-408, 412-414, 416; *C. familiaris*, 180-183; *Cistothorus palustris*, 172; *Colaptes auratus*, 407-408, 412-414, 416; *Dendroica discolor*, 945; *D. petechia*, 197; *Empidonax difficilis*, 407-408, 412-414, 416; *Falco columbarius*, 297-298, 300, 301; *F. tinnunculus*, 342-346; *Forpus passerinus*, 865-867; *Junco hyemalis*, 371-379; *Larus occidentalis*, 25-32; *Melanerpes formicivorus*, 407-408, 412-414, 416; *Merops bullockoides*, 678, 682-683; *Molothrus ater*, 19; *Myiarchus cinerascens*, 40; *Pandion haliaetus*, 365-368; *Parus gambeli*, 407-408, 412-414, 416; *Phaethon lepturus*, 911-921; *Phylidonyris nigra*, 102-103, 104-105; *P. novaehollandiae*, 102-103, 104-105; *Picoides pubescens*, 407-408, 412-414, 416; *P. villosus*, 407-408, 412-414, 416; *Sialia mexicana*, 40, 407-408, 412-414, 416; *Sitta canadensis*, 407-408, 412-414, 416; *S. carolinensis*, 407-408, 412-414, 416; *S. pygmaea*, 407-408, 412-414, 416; *Spheniscus demersus*, 548-554; *S. magellanicus*, 928, 930, 931-932; *Sphyrapicus thyroideus*, 407-408, 412-414, 416; *S. varius*, 407-408, 412-414, 416; *Sturnus vulgaris*, 519-529; *Tachycineta bicolor*, 722; *Troglodytes aedon*, 60-69, 277-283, 407-408, 412-414, 416
- Breeding, timing of (see Breeding season)
- Brewer, Gwen, Courtship of ducklings by adult male Chiloe Wigeon (*Anas sibilatrix*), 969-973
- British Columbia, 437-439, 568-575, 842-850
- Broman, Dag, see Nyström, K. G. Kenneth, et al.
- Brooke, Michael, The Manx Shearwater (rev.), 739
- Brooks, D. R., see Funk, V. A., and ———
- Brothers, N., see Ovenden, J. R., et al.
- Brown, William L., see Hilty, Steven L., and ———
- Browning, M. Ralph, review by, 1003-1004
- Brugger, Kristin E., Anatomical adaptation of the gut to diet in Red-winged Blackbirds (*Agelaius phoeniceus*), 562-567
- Bruggers, Richard L., and Clive C. H. Elliott, *Quelea quelea*: Africa's bird pest (rev.), 746-747
- Bruning, Donald, review by, 745-746
- Brush, Alan H., reviews by, 458-459, 748-749, 1008
- Bubo virginianus*, 655, 658, 964-965
- Bucephala albeola*, 568-575
- B. islandica*, 568-575
- Buchholz, Richard, Older males have bigger knobs: correlates of ornamentation in two species of curassow, 153-160
- Buehler, David A., Timothy J. Mersmann, James D. Fraser, and Janis K. D. Seegar, Winter microclimate of Bald Eagle roosts on the northern Chesapeake Bay, 612-618
- Bufflehead, 568-575
- Butcher, Gregory S., review by, 736-737
- Buteo buteo*, 342-346
- Butler, Ronald G., see Place, Allen R., et al.
- Buzzard, Common, 342-346
- Bywater, R., see Ovenden, J. R., et al.
- Cacicus uropygialis*, 114-124, 130
- Cacique, Scarlet-rumped, 114-124, 130; Yellow-billed, 114-124, 130
- Calcarius lapponicus*, 350-354
- Calidris alba*, 771-777, 778
- C. canutus*, 771-777, 778-779
- C. himantopus*, 771-777, 778
- C. mauri*, 771-777, 778
- California, 25-32, 34-40, 303-313, 602-609
- Calls (see Vocalizations)
- Capsiempis flaveola*, 114-124, 128
- Carduelis chloris*, 350-354
- C. flammea*, 166-169
- Carter, S. P., see Marchant, J. H., et al.
- Caryothraustes poliogaster*, 114-124, 130
- Castner, James L., Rainforests: a guide to research and tourist facilities at selected tropical forest sites in Central and South America (rev.), 456-457
- Castro, Gonzalo, review by, 744-745

- Catbird, Gray, 114-124, 129  
*Catharacta lonnbergi*, 801-808  
*Catharus fuscescens*, 977-980  
*C. minimus*, 114-124, 129  
*C. ustulatus*, 114-124, 129  
*Celeus castaneus*, 114-124, 128  
 Census methods, 853-861  
*Cercomacra tyrannina*, 114-124, 128  
*Cerorhinca monocerata*, 842-850  
*Certhia americana*, 405-417  
*C. familiaris*, 180-183  
 Chaff, Chiff, 350-354  
 Chaffinch, Common, 350-354  
*Chalybura urochrysa*, 114-124, 128  
 Chandler, Robert M., see Bickart, K. Jeffrey, and  
 ———  
 Chandler, Robert W., see Tiersch, Terrence R., et al.  
*Chen canagica*, 585-592  
 Chickadee, Carolina, 725-727; Mountain, 405-417  
 Chin, Tina, see Weary, Daniel M., et al.  
*Chloroceryle amazona*, 780-788  
*Chlorothraupis carmioli*, 114-124, 129  
*Cinclus cinclus*, 427-429  
*Cistothorus palustris*, 170-173  
 Clapp, Roger B., review by, 994-996  
*Claravis pretiosa*, 114-124, 128  
 Clark, Larry, Odor detection thresholds in Tree Swallows and Cedar Waxwings, 177-180  
 Clutch size, 28, 30, 101, 103, 180-183, 209-211, 211-213, 973-976  
 Clutch size of *Agelaius phoeniceus*, 714-715; *Certhia familiaris*, 180-183; *Forpus passerinus*, 863-870; *Fulica americana*, 536, 541-542, 544; *Junco hyemalis*, 375, 376-377; *Larus occidentalis*, 28, 30; *Merops bullockoides*, 678, 679, 684, 685; *Phylidonyris nigra*, 101, 103; *P. novaehollandiae*, 101, 103; *Sturnus vulgaris*, 891, 892; *Troglodytes aedon*, 277-283, 728-730  
 Coates, Brian J., The birds of Papua New Guinea. Vol. II, Passerines (rev.), 737-739  
*Colaptes auratus*, 405-417  
*Colinus virginianus*, 509-517  
 Collopy, Michael W., review by, 457  
 Colorado, 16-23, 602-609, 896-902, 903  
 Commentaries, The conservation crisis: The Red-cockaded Woodpecker: on the road to oblivion?, see American Ornithologists' Union; The taxonomic status of the small Genovesa ground-finch in the Galápagos, see Schluter, Dolph, et al.; Response to Schluter, Ratcliffe, and Grant, see Vagvolgyi and Vagvolgyi; The use of flow cytometry for rapid identification of sex in birds, see Tiersch, Terrence, et al.; On forming an ornithological council, see Banks, Richard C.; The interspecific relationship between egg size and clutch size in wildfowl, see Blackburn, T. M.; Response to T. M. Blackburn, see Rohwer, Frank C.; Confusions of mass and size, see Piersma, Theunis, and Nick C. Davidson; On the use of tape recorders in avifaunal surveys, see Parker, Theodore A., III; The conservation crisis: A proposed new federal agency for research on the environment, see Stacey, Peter B., and Terry L. Root; The conservation crisis: International trade in live exotic birds creates a vast movement that must be halted, see American Ornithologists' Union  
 Communal breeding in *Malurus elegans*, 811-818; *Parabuteo unicinctus*, 619-634, 638-647, 649-659, 669-670; *Sitta pygmaea*, 173-174, 175-176; *Xanthocephalus xanthocephalus*, 22  
 Conservation, 199, 200-201, 208-209, 982-984  
 Conway, Albert E., In memoriam: Augusto Ruschi, 708  
 Cooperative breeding (see Communal breeding)  
 Coot, American, 432-436, 532-545  
*Corapipo leucorrhoa*, 114-124, 129  
 Costa Rica, 114-124, 128-130  
 Cowbird, Brown-headed, 16-23, 196-197, 348-354  
 Cracraft, Joel, review by, 742-743  
 Craig, Adrian J. F. K., see Sweijd, Neville, and  
 ———  
*Crax daubentoni*, 153-158  
*C. rubra*, 153-158  
 Creeper, Brown, 405-417  
 Croner, Lisa J., see Nelson, Douglas A., and ———  
*Crotophaga sulcirostris*, 114-124, 128  
 Cruz, Alexander, see Ortega, Catherine P., and  
 ———  
*Crypturellus soui*, 114-124, 128  
 Cuckoo, Common, 348-354  
*Cuculus canorus*, 348-354  
 Curassow, Great, 153-158; Yellow-knobbed, 153-158  
*Cyanocompsa cyanoides*, 114-124, 130  
*Cyphorhinus phaeocephalus*, 114-124, 129  
 Daption capense, 795, 801-808  
 Darby, J. T., see Davis, L. S., and ———  
 Davidson, Nick C., see Piersma, Theunis, and  
 ———  
 Davis, L. S., and J. T. Darby (Eds.), Penguin biology (rev.), 748-749  
 Davis, William James, and Douglas J. Graham, The influence of food on reproductive strategies in a monogamous kingfisher (*Chloroceryle amazona*), 780-789  
 Dawson, James W., and R. William Mannan, Dominance hierarchies and helper contributions in Harris' Hawks, 649-660; and R. William Mannan, The role of territoriality in the social organization of Harris' Hawks, 661-672; see Mays, Nora A., et al.; see Vleck, Carol Masters, et al.  
*Dendrocicla fuliginosa*, 114-124, 128  
*Dendrocolaptes certhia*, 114-124, 128  
*Dendroica castanea*, 114-124, 129  
*D. coronata*, 147-151  
*D. discolor*, 264-274, 945  
*D. magnolia*, 147-151  
*D. pensylvanica*, 114-124, 129  
*D. petechia*, 196-197

- D. striata*, 147-151  
Denmark, 319-326
- Diamond, Jared, A new species of rail from the Solomon Islands and convergent evolution of insular flightlessness, 461-470
- Dickerman, Robert W., On the validity of *Bubo virginianus occidentalis* Stone, 964-965
- Diomedea chrysostoma*, 801-808
- D. exulans*, 801-808
- D. melanophris*, 801-808
- Dipper, Eurasian, 427-429
- Diseases and parasites of *Crax daubentoni*, 156-157; *C. rubra*, 156-157; *Dendroica coronata*, 147-151; *D. magnolia*, 147-151; *D. striata*, 147-151; *Mniotilta varia*, 147-151; *Oporornis philadelphia*, 147-151; *Seiurus aurocapillus*, 147-151; *S. noveboracensis*, 147-151; *Setophaga ruticilla*, 147-151; *Vermivora peregrina*, 147-151; *Wilsonia pusilla*, 147-151; *Xanthocephalus xanthocephalus*, 22-23
- Distribution of Anatini, 484; *Ardea herodias*, 764-769; *Gallirallus roviannae*, 462, 467; *Larus argentatus*, 338-339; *Nannopsittaca dachilleae*, 226, 227
- Distribution, spatial, 264-274, 342-346, 355-361, 764-769, 913-914, 927-932
- Dittmann, Donna L., and Robert M. Zink, Mitochondrial DNA variation among phalaropes and allies, 771-779; see Zink, Robert M., et al.
- Diving Petrel, Common, 131-144; South Georgia, 131-144
- Dobkin, D. S., see Ehrlich, P. R., et al.
- Dorsey, F. Blinn, see Wheelwright, Nathaniel T., and —
- Dove, Gray-chested, 114-124, 128
- Dovekie, 71-76
- Dowitcher, Short-billed, 771-777, 779
- Drilling, Nancy E., and Charles F. Thompson, Mate switching in multibrooded House Wrens, 60-70
- Droege, Sam, see Sauer, John R., and —
- Duck, Black, 89-97
- Ducks, dabbling, 471-488, 493-507, 934-940
- Duffy, David Cameron, reviews by, 739, 1003
- Dumbacher, John, reviews by, 457-458, 1007-1008
- Dumetella carolinensis*, 114-124, 129
- Dunne, Peter (Ed.), New Jersey at the crossroads of migration (rev.), 455-456
- Dunning, John B., Jr., and Bryan D. Watts, Habitat occupancy by Bachman's Sparrow in the Francis Marion National Forest before and after Hurricane Hugo, 723-725
- Dunnock, 350-354
- du Plessis, Morné A., see Williams, Joseph B., et al.
- Eagle, Bald, 612-617
- Ecology, commensal feeding, 801-808; community structure, 264-274, 790-798; demography, 306, 311; dispersal, 264-274, 342-346; habitat selection, 114-124, 264-274, 303-313, 612-617, 723-725, 764-769, 790-798, 923-932; predator-prey relationships, 718, 801-808; seasonal variation, 99-105, 114-124, 934-940
- Ecology of *Accipiter gentilis*, 342-346; *Aimophila aestivalis*, 723-725; *Anas acuta*, 934-940; *A. americana*, 934-940; *A. clypeata*, 934-940; *A. discors*, 934-940; *Aptenodytes forsteri*, 795-798; *Ardea herodias*, 764-769; *Buteo buteo*, 342-346; *Catharacta lonnbergi*, 801-808; *Cerorhinca monocerata*, 847-850; *Daption capense*, 795, 801-808; *Dendroica discolor*, 264-274; *Diomedea chrysostoma*, 801-808; *D. exulans*, 801-808; *D. melanophris*, 801-808; *Eudytes chrysolophus*, 801-808; *Falco tinnunculus*, 342-346; *Fregetta tropica*, 801-808; *Geothlypis trichas*, 264-274; *Haliaeetus leucocephalus*, 612-617; *Larus dominicanus*, 801-808; lowland tropical birds, 114-124; *Macronectes halli*, 801-808; *Merops bullockoides*, 673-685; *Oceanites oceanicus*, 801-808; *Pachyptila desolata*, 790-798, 801-808; *Pagodroma nivea*, 790-798; *Parabuteo unicinctus*, 669-670; *Phoebastria palpebrata*, 790-798; *Phylidonyris nigra*, 99-105; *P. novaehollandiae*, 99-105; *Picoides nuttallii*, 303-313, 315-317; *Pipilo erythrophthalmus*, 264-274; *Procellaria aequinoctialis*, 790-798, 801-808; *Puffinus gravis*, 801-808; *P. griseus*, 801-808; *Pygoscelis adeliae*, 790-798; *P. papua*, 801-808; *Regulus calendula*, 880, 884-887; *R. satrapa*, 880, 884-887; *Spheniscus magellanicus*, 923-932; *Sterna paradisaea*, 790-798; *Thalassoica antarctica*, 790-798; *Turdus migratorius*, 230-245
- Editorial, The conservation crisis, see Root, Terry, and Peter Stacey
- Eggs, composition, 532-545; laying, 784, 865, 965-966; physiology, 594-600; size, 209-211, 211-213, 973-976; temperature, 598-599, 600
- Eggs of *Agelaius phoeniceus*, 19; *Anous stolidus*, 594-600; *Cuculus canorus*, 350; *Fulica americana*, 532-545; *Molothrus ater*, 196-197, 350; *Xanthocephalus xanthocephalus*, 19
- Ehrlich, P. R., D. S. Dobkin, and D. Wheye, The bird-er's handbook (rev.), 446-447
- Eider, Common, 250-255
- Electron platyrhynchum*, 114-124, 128
- Ellegren, Hans, Fingerprinting birds' DNA with a synthetic polynucleotide probe (TG)<sub>n</sub>, 956-958
- Elliott, Clive C. H., see Bruggers, Richard L., and —
- Emberiza citrinella*, 350-354
- E. schoeniclus*, 350-354
- Emlen, John T., In memoriam: Frederick Nathan Hamerstrom, 424-426
- Emlen, Stephen T., see Wrege, Peter H., and —
- Empidonax difficilis*, 405-417
- E. virescens*, 114-124, 129
- Endangered species, 200-201, 419-422
- England, 187-189
- Ens, B. J., T. Piersma, W. J. Wolff, and L. Zwarts (Eds.), Homeward bound: problems waders face when migrating from the Banc D'Arguin, Mauritania, to their northern breeding grounds in spring (rev.), 744-745



- Environment, influence on *Accipiter gentilis*, 342-346;  
*Agelaius phoeniceus*, 711-715; *Ammomanes deserti*,  
 556-560; *Anas acuta*, 940; *A. americana*, 940; *A.*  
*clypeata*, 940; *A. discors*, 940; *Buteo buteo*, 342-346;  
*Certhia familiaris*, 182; *Falco tinnunculus*, 342-346;  
*Fratercula arctica*, 760-761; *Galerida cristata*, 556-  
 560; *Haliaeetus leucocephalus*, 612-617; *Myiarchus*  
*cinerascens*, 38; *Parus caeruleus*, 820-829; *Picoides*  
*nuttallii*, 311; *Sialia mexicana*, 38; *Turdus migratorius*,  
 230-245
- Eudiptes chrysocome*, 960-963
- E. chrysolophus*, 801-808
- Euphonia gouldi*, 114-124, 129
- Euphonia*, Olive-backed, 114-124, 129
- Eurasia, 820-829
- Eutoxeres aquila*, 114-124, 128
- Evolution of body size, 250, 255; communal breeding,  
 669-670; flightlessness, 468-469; mating systems,  
 947-951; sexual dimorphism, 153-158; sociality,  
 291
- Evolution of *Crax daubentoni*, 158; *C. rubra*, 158; *Soma-*  
*teria mollissima*, 250, 255
- Fairy-wren, Red-winged, 811-818
- Falco columbarius*, 294-301
- F. sparverius*, 716-718
- F. tinnunculus*, 342-346
- Feathers (see Molts and plumages)
- Fecundity (see Clutch size)
- Ficedula hypoleuca*, 968
- Fieldfare, 350-354
- Finland, 180-183
- Fitzpatrick, John W., review by, 218-221
- Flatbill, Eye-ringed, 114-124, 129
- Fledging, success of (see Breeding success)
- Flicker, Northern, 405-417
- Florida, 419-422, 562-566, 602-609
- Florisuga mellivora*, 114-124, 128
- Flycatcher, Acadian, 114-124, 129; Ash-throated, 34-  
 40; Boat-billed, 114-124, 129; Cordilleran, 405-  
 417; Gray-capped, 114-124, 129; Great Crested,  
 114-124, 129; Ochre-bellied, 114-124, 128; Olive-  
 striped, 114-124, 128; Pied, 968; Piratic, 114-124,  
 129; Royal, 114-124, 129; Ruddy-tailed, 114-124,  
 129; Sepia-capped, 114-124, 128; Spotted, 350-  
 354; Yellow-margined, 114-124, 129
- Foliage-gleaner, Buff-throated, 114-124, 129
- Food and feeding habits of *Aegolius acadicus*, 437-439;  
*Aethia pusilla*, 131-144; *Alle alle*, 74, 76; *Ardea herod-*  
*ias*, 764-769; *Catharacta lonnbergi*, 801-808; *Cero-*  
*rhinca monocerata*, 842-850; *Certhia familiaris*, 180-  
 183; *Chloroceryle amazona*, 780-788; *Daption ca-*  
*pense*, 801-808; *Diomedea chrysostoma*, 801-808; *D.*  
*exulans*, 801-808; *D. melanophris*, 801-808; *Eud-*  
*iptes chrysolophus*, 801-808; *Falco sparverius*, 716-  
 718; *Fregetta tropica*, 801-808; *Larus dominicanus*,  
 801-808; *L. glaucescens*, 381-390; *Macronectes halli*,  
 801-808; *Melanerpes formicivorus*, 79-86; *Nannop-*  
*sittaca dachilleae*, 227-228; *Oceanites oceanicus*,  
 801-808; *Oceanodroma leucorhoa*, 709-711; *Pachyp-*  
*tila desolata*, 801-808; *Pelecyanoides georgicus*, 131-  
 144; *P. urinatrix*, 131-141; *Phylidonyris nigra*, 99-  
 105; *P. novaehollandiae*, 99-105; *Picoides nuttallii*,  
 303-313, 315-317; *Procellaria aequinoctialis*, 801-  
 808; *Puffinus gravis*, 801-808; *P. griseus*, 801-808;  
*Pygoscelis papua*, 801-808; *Regulus calendula*, 880,  
 884-887; *R. satrapa*, 880, 884-887; *Somateria mol-*  
*lissima*, 250-255; *Spizella pusilla*, 355-361; *Sula*  
*leucogaster*, 260-262; *Uria aalge*, 184-185; *U. lomvia*,  
 184-185; *Zonotrichia albicollis*, 8-14, 355-361
- Foraging (see Food and feeding habits; Behavior,  
 feeding)
- Ford, Hugh A., see Trapp, John L., et al.
- Forest-Falcon, Barred, 114-124, 128
- Formicarius analis*, 114-124, 128
- Forpus passerinus*, 863-870
- France, 319-326, 329-340
- Franke J., Irma, see O'Neill, John P., et al.
- Fraser, James D., see Buehler, David A., et al.
- Fratercula arctica*, 755-761
- Fregetta tropica*, 801-808
- Fringilla coelebs*, 350-354
- F. montifringilla*, 350-354
- F. savanna*, 185-186
- Fulica americana*, 432-436, 532-545
- Funk, V. A., and D. R. Brooks, Phylogenetic system-  
 atics as the basis of comparative biology (rev.),  
 742-743
- Gabrielsen, Geir Wing, Jan R. E. Taylor, Marek Konar-  
 zewski, and Fridtjof Mehlum, Field and labora-  
 tory metabolism and thermoregulation in Dove-  
 kies (*Alle alle*), 71-78
- Galápagos, 201-204
- Galbula ruficauda*, 114-124, 128
- Gallirallus roviniae*, 461-469
- Gargett, Valerie, The Bald Eagle (rev.), 739-741
- Gavin, Thomas A., Ronald A. Howard, and Bernie  
 May, Allozyme variation among breeding pop-  
 ulations of Red-winged Blackbirds: the Califor-  
 nia conundrum, 602-611
- Genetic variation (see Genetics, genetic variation)
- Genetics, 167, 168, 169, 319-326, 578-583, 585-592,  
 688-693, 956-957; gene flow, 325-326, 607-608,  
 609, 820, 829; genetic variation, 322-323, 602-609,  
 692-693, 755, 758-760, 771-777; techniques, 956-  
 957, 959
- Genetics of *Agelaius phoeniceus*, 602-609; *Branta ber-*  
*nicla*, 585-592; *B. canadensis*, 585-592; *Calidris alba*,  
 771-777, 778; *C. canutus*, 771-777, 778-779; *C. hi-*  
*mantopus*, 771-777, 778; *C. mauri*, 771-777, 778;  
*Carduelis flammea*, 167, 168, 169; *Chen canagica*, 585-  
 592; *Fratercula arctica*, 755, 758-760; *Hirundo rus-*  
*tica*, 956-957; *Larus argentatus*, 319-326; *L. cach-*  
*innans*, 319-326; *L. fuscus*, 319-326; *L. glaucoideus*,  
 319-326; *L. hyperboreus*, 319-326; *L. marinus*, 319-  
 326; *Limnodromus griseus*, 771-777, 779; *Nesochen*

- sandvicensis*, 585-592; *Pachyptila turtur*, 688-693; *Phalaropus fulicaria*, 771-777, 778; *P. lobatus*, 771-777, 778; *P. tricolor*, 771-777, 778; *Tringa melanoleuca*, 771-777, 779; *Zonotrichia albicollis*, 578-583; *Z. atricapilla*, 578-583; *Z. capensis*, 578-583; *Z. leucophrys*, 578-583; *Z. querula*, 578-583
- Gentry, Alwyn H. (Ed.), Four Neotropical rainforests (rev.), 1004-1005
- Geographic variation in anatomy and morphology, 230-245, 755-761, 820-824, 826-828, 833-840; molts and plumages, 230-245, 824-826, 828-829
- Geographic variation in *Fratercula arctica*, 755-761; *Pandion haliaetus*, 363-368; *Parus caeruleus*, 820-829, 833-840; *Turdus migratorius*, 230-245
- Georgia, 355-361
- Geospiza difficilis*, 201-204, 204-206
- G. fuliginosa*, 201-204, 204-206
- Geothlypis semiflava*, 114-124, 129
- G. trichas*, 264-274
- Geotrygon montana*, 114-124, 128
- G. veraguensis*, 114-124, 128
- Germany, 342-346
- Giant-Petrel, Northern, 801-808
- Gibbs, James P., Spatial relationships between nesting colonies and foraging areas of Great Blue Herons, 764-770
- Glaucis aenea*, 114-124, 128
- Glyphorynchus spirurus*, 114-124, 128
- Gnatwren, Long-billed, 114-124, 129; Tawny-faced, 114-124, 129
- Goldeneye, Barrow's, 568-575
- Goldsmith, Arthur R., see Vleck, Carol Masters, et al.
- Goose, Canada, 585-592; Emperor, 585-592; Hawaiian, 585-592
- Goshawk, Northern, 342-346
- Graham, Douglas J., see Davis, William James, and —
- Grant, B. Rosemary, and Peter R. Grant, Evolutionary dynamics of a natural population: the Large Cactus Finch of the Galápagos (rev.), 216-218
- Grant, Peter R., see Grant, B. Rosemary, and —; see Schluter, Dolph, et al.
- Graves, Jeff, Comments on the sample sizes used to test the effect of experimental brood enlargement on adult survival, 967-969
- Greenfinch, European, 350-354
- Greenlet, Tawny-crowned, 114-124, 129
- Griffin, Curtice R., see Steidl, Robert J., and —
- Grosbeak, Black-faced, 114-124, 130; Blue-black, 114-124, 130
- Ground-Dove, Blue, 114-124, 128
- Ground-Finch, Sharp-beaked, 201-204, 204-206; Small Genovesa, 201-204, 204-206
- Growth and development of *Aethia pusilla*, 131-144; *Anas platyrhynchos*, 89-97; *A. rubripes*, 89-97; *Cero-  
rhinca monocerata*, 846-847; *Certhia familiaris*, 180-183; *Molothrus ater*, 19-20, 21; *Myiarchus cinerascens*, 34-40; *Pandion haliaetus*, 363-368; *Pelec-  
anoides georgicus*, 131-144; *P. urinatrix*, 131-144; *Sia-  
lia mexicana*, 34-40; *Sturnus vulgaris*, 522-525; *Tachycineta bicolor*, 721
- Grubb, Thomas C., Jr., A deficient diet narrows growth bars on induced feathers, 725-727
- Gull, Glaucous, 319-326, 329-340; Glaucous-winged, 381-390, 968; Greater Black-backed, 319-326; Herring, 319-326, 329-340, 906; Iceland, 319-326; Lesser Black-backed, 319-326; Southern Black-backed, 801-808; Western, 25-32; Yellow-legged Herring, 319-326, 329-339
- Gutzwiller, Kevin J., Estimating winter species richness with unlimited-distance point counts, 853-862
- Gymnocichla nudiceps*, 114-124, 128
- Gymnophis leucaspis*, 114-124, 128
- Gyps africanus*, 1-6
- Habia fuscicauda*, 114-124, 129
- Habitat of *Aimophila aestivalis*, 723-725; *Anas platyrhynchos*, 96-97; *A. rubripes*, 95-97; *Ardea herodias*, 764-769; *Certhia americana*, 405-417; *Colaptes auratus*, 405-417; *Dendroica discolor*, 264-274; *Empidonax difficilis*, 405-417; *Geothlypis trichas*, 264-274; lowland tropical birds, 114-124; *Melanerpes formicivorus*, 405-417; *Parus gambeli*, 405-417; *Picoides borealis*, 200-201; *P. nuttallii*, 303-313, 315-317; *P. pubescens*, 405-417; *P. villosus*, 405-417; *Pipilo erythrophthalmus*, 264-274; *Sialia mexicana*, 405-417; *Sitta canadensis*, 405-417; *S. carolinensis*, 405-417; *S. pygmaea*, 405-417; *Sphyrapicus thyroides*, 405-417; *S. varius*, 405-417; *Troglodytes aedon*, 405-417
- Haila, Yrjö, Olli Järvinen, and Pertti Koskimies (Eds.), Monitoring bird populations in varying environments (rev.), 1006-1007
- Haliaeetus leucocephalus*, 612-617
- Harrison, Craig S., Seabirds of Hawaii: natural history and conservation (rev.), 994-996
- Harrison, Nancy M., Michael J. Whitehouse, Dennis Heinemann, Peter A. Prince, George L. Hunt Jr., and Richard R. Veit, Observations of multispecies seabird flocks around South Georgia, 801-810
- Hatching, success of (see Breeding success)
- Hatching, timing of, 519-529, 569-570, 573, 863-870
- Hawaii, 260-262, 585-592, 594-600
- Hawk, Harris', 108-112, 619-634, 638-647, 649-659, 661-670; Semiplumbeous, 114-124, 128
- Heinemann, Dennis, see Harrison, Nancy M., et al.
- Helminthophila vermivorus*, 114-124, 129
- Henicorhina leucosticta*, 114-124, 129
- Hermit, Bronzy, 114-124, 128; Little, 114-124, 128; Long-tailed, 114-124, 128
- Heron, Great Blue, 764-769
- Hillis, David M., and Craig Moritz (Eds.), Molecular systematics (rev.), 452-455
- Hilty, Steven L., and William L. Brown, A guide to the birds of Colombia (rev.), 218-221
- Hippolais icterina*, 350-354
- Hirundo rustica*, 956-957
- Hobson, Keith A., and Spencer G. Sealy, Marine pro-

- tein contributions to the diet of Northern Saw-whet Owls on the Queen Charlotte Islands: a stable-isotope approach, 437-440
- Home range (see Territory of)
- Honeyeater, New Holland, 99-105; White-cheeked, 99-105
- Horne, Jennifer F. M., see Short, Lester L., et al.
- Howard, Ronald A., see Gavin, Thomas A., et al.
- Hudson, R., see Marchant, J. H., et al.
- Hummingbird, Blue-chested, 114-124, 128; Rufous-tailed, 114-124, 128; Violet-headed, 114-124, 128
- Hunt, George L., Jr., see Harrison, Nancy M., et al.; see Veit, Richard R., and —
- Hunter, W. C., see Rosenberg, K. V., et al.
- Hyatt, Laura E., see Logan, Cheryl A., and —
- Hybrids and hybridization of *Anas platyrhynchos* × *A. rubripes*, 89-97; *Larus argentatus* × *L. hyperboreus*, 319, 322-323, 325, 329-340; *Zonotrichia* spp., 582-583
- Hylocichla mustelina*, 114-124, 129
- Hyolotistes subulatus*, 114-124, 128
- Hylophilus ochraceiceps*, 114-124, 129
- Hylophylax naevioides*, 114-124, 128
- Iceland, 319-326, 329-340, 755-761
- Illinois, 60-69
- Incubation and incubation period of *Phaethon lepturus*, 915
- Israel, 556-560
- Jacamar, Rufous-tailed, 114-124, 128
- Jacobin, White-necked, 114-124, 128
- James, Frances C., Signs of trouble in the largest remaining population of Red-cockaded Woodpeckers, 419-423; see Aldrich, John W., and —
- James, Paul C., see Warkentin, Ian G., et al.
- Japan, 184-185
- Järvinen, Olli, see Haila, Yrjö, et al.
- Jay, Scrub, 945
- Johnsgard, Paul A., Hawks, eagles, and falcons of North America (rev.), 741; The quails, partridges, and francolins of the world (rev.), 458-459
- Johnson, Tim, see Norton, John, et al.
- Jonkel, George, In memoriam: Francis Morey Uhler, 953
- Jouanin, Christian, In memoriam: Robert Daniel Etchécopar, 706; In memoriam: Noël Mayaud, 707-708
- Junco, Dark-eyed, 371-379
- Junco hyemalis*, 371-379
- Kabaya, Yuko, see Mizutani, Hiroshi, et al.
- Kaiser, G. W., see Bertram, D. F., et al.
- Keast, Allen, and Sari Saunders, Ecomorphology of the North American Ruby-crowned (*Regulus calendula*) and Golden-crowned (*R. satrapa*) kinglets, 880-888
- Kennedy, E. Dale, Predicting clutch size of the House Wren with the Murray-Nolan equation, 728-731; see White, Douglas W., et al.
- Kenya, 1-6, 285-292, 673-685
- Kestrel, American, 716-718; Eurasian, 342-346
- Ketterson, Ellen D., see Wolf, Licia, et al.
- Khubesrian, Marina, see Mock, Patrick J., et al.
- King, James R., see Murphy, Mary E., and —
- King, Warren B., review by, 451-452
- Kingbird, Eastern, 114-124, 129
- Kingfisher, Amazon, 780-788
- Kinglet, Golden-crowned, 880-887; Ruby-crowned, 880-887
- Kiskadee, Great, 114-124, 129
- Klais guimeti*, 114-124, 128
- Knot, Red, 771-777, 778-779
- Koenig, Walter D., The effects of tannins and lipids on digestion of acorns by Acorn Woodpeckers, 79-88; see Stacey, Peter B., and —
- Konarzewski, Marek, see Gabrielsen, Geir Wing, et al.
- Koskimies, Pertti, and Risto A. Vaisanen (Eds.), Monitoring bird populations (rev.), 1007; see Haila, Yrjö, et al.
- Kostrzewa, Achim, see Kostrzewa, Renate, and —
- Kostrzewa, Renate, and Achim Kostrzewa, Winter weather, spring and summer density, and subsequent breeding success of Eurasian Kestrels, Common Buzzards, and Northern Goshawks, 342-347
- Krajewski, Carey, review by, 987-990
- Kuitunen, Markku, and Jukka Suhonen, Feeding time and brood-rearing capacity in the Common Tree-creeper (*Certhia familiaris*), 180-184
- Kuroda, Osamu, see Tazawa, Hiroshi, et al.
- Kushlan, James A., In memoriam: Oscar T. Owre, 705
- Kvitek, Rikk G., Sequestered paralytic shellfish poisoning toxins mediate Glaucous-winged Gull predation on bivalve prey, 381-392
- Larcheveque, Dee M., see Mock, Patrick J., et al.
- Lark, Crested, 556-560; Desert, 556-560
- Larus argentatus*, 319-326, 329-340, 906
- L. cachinnans*, 319-326, 329-339
- L. dominicanus*, 801-808
- L. fuscus*, 319-326
- L. glaucescens*, 381-390, 968
- L. glaucoides*, 319-326
- L. hyperboreus*, 319-326, 329-340
- L. marinus*, 319-326
- L. occidentalis*, 25-32
- Leaf-tosser, Scaly-throated, 114-124, 128
- Leck, Charles, review by, 455-456
- Legatus leucophaius*, 114-124, 129
- Lemon, Robert E., see Weary, Daniel M., et al.
- Leptopogon amaurocephalus*, 114-124, 128
- Leptotila cassinii*, 114-124, 128
- Leucopternis semiplumbea*, 114-124, 128
- Li, Pingjun, and Thomas E. Martin, Nest-site selection



- and nesting success of cavity-nesting birds in high elevation forest drainages, 405-418
- Li, Wen-Hsiung, and Dan Graur, Fundamentals of molecular evolution (rev.), 999
- Limnodromus griseus*, 771-777, 779
- Littlefield, Carroll D., Birds of Malheur National Wildlife Refuge, Oregon (rev.), 1003-1004
- Livezey, Bradley C., A phylogenetic analysis and classification of Recent dabbling ducks (tribe Anatini) based on comparative morphology, 471-507
- Logan, Cheryl A., and Laura E. Hyatt, Male attraction by autumnal song in the Northern Mockingbird (*Mimus polyglottos*), 429-432
- Loiselle, Bette A., see Blake, John G., and ———
- Lombardo, Michael P., Sexual differences in parental effort during the nestling period in Tree Swallows (*Tachycineta bicolor*), 393-404
- Longspur, Lapland, 350-354
- Louette, Michel, Les oiseaux des Comores (rev.), 222
- Loughheed, S. C., T. W. Arnold, and R. C. Bailey, Measurement error of external and skeletal variables in birds and its effect on principal components, 432-436
- Luscinia svecica*, 350-354
- Lyon, Graeme L., see Mizutani, Hiroshi, et al.
- Macronectes halli*, 801-808
- Magrath, Robert D., see Trapp, John L., et al.
- Maine, 709-711, 764-769
- Major, Richard E., Identification of nest predators by photography, dummy eggs, and adhesive tape, 190-195
- Malurus elegans*, 811-818
- Malacoptila panamensis*, 114-124, 128
- Mallard, 89-97
- Manacus candei*, 114-124, 129
- Manakin, Gray-headed, 114-124, 129; Red-capped, 114-124, 129; White-collared, 114-124, 129; White-ruffed, 114-124, 129
- Manitoba, 166-169, 196-197, 432-436, 532-545
- Mannan, R. William, see Dawson, James W., and ———
- Marchant, J. H., R. Hudson, S. P. Carter, and P. Whittington, Population trends in British breeding birds (rev.), 736-737
- Marler, Peter, In memoriam: Konrad Lorenz, 164-165
- Martin, Jean-Louis, Patterns and significance of geographical variation in the Blue Tit (*Parus caeruleus*), 820-832; and Jay Pitocchelli, Relation of within-population phenotypic variation with sex, season, and geography in the Blue Tit, 833-841
- Martin, Thomas E., see Li, Pingjun, and ———
- Maryland, 612-617
- Mass and measurements of *Aethia pusilla*, 135, 136; *Agelaius phoeniceus*, 564, 565; *Alle alle*, 75; *Ammodramus deserti*, 557, 560; *Anas platyrhynchos*, 91, 92, 94, 95; *A. rubripes*, 91, 92, 94, 95; *Certhia familiaris*, 181, 182; *Colinus virginianus*, 513-515, 516; *Crax daubentoni*, 156; *C. rubra*, 156; *Falco sparverius*, 717; *Fratercula arctica*, 757; *Fulica americana*, 434; *Galerida cristata*, 557, 560; *Gallirallus roviandae*, 464-465; *Junco hyemalis*, 371-379; *Myiarchus cinerascens*, 36; *Nannopsittaca dachilleae*, 226, 229; *Oceanodroma leucorhoa*, 709-710; *Pandion haliaetus*, 365, 366, 367; *Parabuteo unicinctus*, 628; *Pelecanoides georgicus*, 135, 136; *P. urinatrix*, 135, 136; *Phoeniculus porphyreus*, 287, 289, 292; *Regulus calendula*, 884; *R. satrapa*, 884; *Sialia mexicana*, 36; *Somateria mollissima*, 253; *Sturnus vulgaris*, 524, 525, 891, 892; *Tachycineta bicolor*, 721; *Troglodytes aedon*, 281; *Turdus migratorius*, 248-249; *Zonotrichia capensis*, 433; *Z. leucophrys*, 697-699
- Mass and measurements, techniques, 509-517
- Massachusetts, 264-274
- Mating systems of *Actitis macularia*, 948-949, 950; *Carduelis flammea*, 166-169; *Cistothorus palustris*, 170-173; *Crax daubentoni*, 153-158; *C. rubra*, 153-158; *Falco columbarius*, 294-301; *Junco hyemalis*, 371-379; *Mimus polyglottos*, 429-431; *Troglodytes aedon*, 60-69; *Tympanuchus cupido*, 896-902
- May, Bernie, see Gavin, Thomas A., et al.
- Mayr, Ernst, review by, 746
- Mays, Nora A., Carol Masters Vleck, and James Dawson, Plasma luteinizing hormone, steroid hormones, behavioral role, and nest stage in cooperatively breeding Harris' Hawks (*Parabuteo unicinctus*), 619-637; see Vleck, Carol Masters, et al.
- McRae, Susan B., see Weatherhead, Patrick J., et al.
- Meanley, Brooke, review by, 746-747
- Measurements (see Mass and ———)
- Megarynchus pitangua*, 114-124, 129
- Mehlum, Fridtjof, see Gabrielsen, Geir Wing, et al.
- Melanerpes formicivorus*, 79-86, 405-417
- Memorial of David Finley Balph, 707; Kai Curry-Lindahl, 953-954; Robert David Etchécopar, 706; Joseph Archibald Hagar, 954-955; Frederick Nathan Hamerstrom, 424-426; Konrad Lorenz, 164-165; Noël Mayaud, 707-708; Robert M. Mengel, 161-164; Oscar T. Owre, 705; Augusto Ruschi, 708; Francis Morey Uhler, 953
- Merlin, 294-301
- Merops bullockoides*, 673-685
- Mersmann, Timothy J., see Buehler, David A., et al.
- Metabolism of *Aethia pusilla*, 131-144; *Alle alle*, 71-76; *Haliaeetus leucocephalus*, 616, 617; *Melanerpes formicivorus*, 79-86; *Myiarchus cinerascens*, 34-40; *Pelecanoides georgicus*, 131-144; *P. urinatrix*, 131-144; *Sialia mexicana*, 34-40
- Metz, Karen J., The enigma of multiple nest building by male Marsh Wrens, 170-173
- Mexico, 153-158, 230-244, 934-940
- Michigan, 711-715
- Micrastur ruficollis*, 144-124, 128
- Microbates cinereiventris*, 114-124, 129
- Microcerculus philomela*, 114-124, 129
- Microchera albocoronata*, 114-124, 128
- Mimus polyglottos*, 429-431

- Minnesota, 904-908  
*Mionectes oleagineus*, 114-124, 128  
*M. olivaceus*, 114-124, 128  
*Mitrospingus cassinii*, 114-124, 129  
Mizutani, Hiroshi, Yuko Kabaya, P. J. Moors, T. W. Speir, and Graeme L. Lyon, Nitrogen isotope ratios identify deserted seabird colonies, 960-964  
*Mniotilta varia*, 147-151  
Mock, Patrick J., Marina Khubesrian, and Dee M. Larcheveque, Energetics of growth and maturation in sympatric passerines that fledge at different ages, 34-41  
Mockingbird, Northern, 429-431  
Moen, Sharon M., Morphological and genetic variation among breeding colonies of the Atlantic Puffin (*Fratercula arctica*), 755-763  
Moksnes, Arne, Eivind Røskoft, and Anders T. Braa, Rejection behavior by Common Cuckoo hosts towards artificial brood parasite eggs, 348-354  
*Molothrus ater*, 16-23, 196-197, 348-354  
Molts and plumages of Anatini, 493-497; *Dendroica coronata*, 147-151; *D. magnolia*, 147-151; *D. striata*, 147-151; *Gallirallus roviniae*, 462-463; *Geospiza difficilis*, 203-204; *Mniotilta varia*, 147-151; *Myrmeciza atrothorax*, 731-733; *M. stictothorax*, 731-733; *Nannopsittaca dachilleae*, 226-227; *Oporornis philadelphia*, 147-151; *Parabuteo unicinctus*, 108-112; *Parus caeruleus*, 824-826, 828-829; *Seiurus aurocapillus*, 147-151; *S. noveboracensis*, 147-151; *Setophaga ruticilla*, 147-151, 872-878; *Sturnus vulgaris*, 889-894; *Turdus migratorius*, 238-239, 241, 243, 244; *Vermivora peregrina*, 147-151; *Wilsonia pusilla*, 147-151; *Zonotrichia leucophrys*, 695-703  
Mongrain, Johanne, see Weary, Daniel M., et al.  
Montgomerie, Robert D., see Weatherhead, Patrick J., et al.  
Moors, P. J., see Mizutani, Hiroshi, et al.  
Morimoto, David C., and Fred E. Wasserman, Dispersion patterns and habitat associations of Rufous-sided Towhees, Common Yellowthroats, and Prairie Warblers in the southeastern Massachusetts pine barrens, 264-276  
Moritz, Craig, see Hillis, David M., and ———  
Mortality and survival of *Anas platyrhynchos*, 89-97; *A. rubripes*, 89-97; *Bucephala albeola*, 568-575; *B. islandica*, 568-575; *Certhia familiaris*, 182; *Falco tinunculus*, 343-344, 345-346; *Ficedula hypoleuca*, 968; *Forpus passerinus*, 866-868; *Larus glaucescens*, 389, 968; *Merops bullockoides*, 679-681, 682-683; *Pandion haliaetus*, 363-368; *Parus caeruleus*, 968; *Phylidonyris nigra*, 103, 104-105; *P. novaehollandiae*, 103, 104-105; *Spheniscus demersus*, 548-554; *Sturnus vulgaris*, 519-529; *Tachycineta bicolor*, 722; *Troglodytes aedon*, 282  
*Motacilla alba*, 350-354  
*M. cinerea*, 427-429  
*M. flava*, 350-354  
Motmot, Broad-billed, 114-124, 128; Rufous, 114-124, 128  
Mourner, Rufous, 114-124, 129  
Moynihan, Martin, Social, sexual, and pseudosexual behavior of the Blue-bellied Roller, *Coracias cyanogaster*: the consequences of crowding or concentration (rev.), 457-458  
Mueller, Helmut C., review by, 747  
Mumme, Ronald L., see Tiersch, Terrence R., et al.  
Munn, Charles A., see O'Neill, John P., et al.  
Muringo-Gichuki, Cecilia, see Short, Lester L., et al.  
Murphy, Mary E., and James R. King, Ptilochronology: a critical evaluation of assumptions and utility, 695-704  
Murray, Bertram G., Jr., Measuring annual reproductive success, with comments on the evolution of reproductive behavior, 942-952  
Murre, Common, 184-185; Thick-billed, 184-185  
*Muscicapa striata*, 350-354  
*Myiarchus cinerascens*, 34-40  
*M. crinitus*, 114-124, 129  
*Myiozetetes granadensis*, 114-124, 129  
*Myrmeciza atrothorax*, 731-733  
*M. exul*, 114-124, 128  
*M. stictothorax*, 731-733  
*Myrmotherula axillaris*, 114-124, 128  
*M. fulviventeris*, 114-124, 128  
Nakamura, Dean, see Tiersch, Terrence R., et al.  
*Nannopsittaca dachilleae*, 225-228, 229  
Nelson, Douglas A., and Lisa J. Croner, Song categories and their functions in the Field Sparrow (*Spizella pusilla*), 42-52  
*Nesochen sandvicensis*, 585-592  
Nest and nest site of *Ardea herodias*, 764-769; *Carduelis flammea*, 166; *Certhia americana*, 405-417; *Cistothorus palustris*, 170-173; *Colaptes auratus*, 405-417; *Empidonax difficilis*, 405-417; *Melanerpes formicivorus*, 405-417; *Myiarchus cinerascens*, 40; *Nannopsittaca dachilleae*, 228; *Parus gambeli*, 405-417; *Phaethon lepturus*, 911-921; *Phylidonyris nigra*, 101; *P. novaehollandiae*, 101; *Picoides pubescens*, 405-417; *P. villosus*, 405-417; *Sialia mexicana*, 40, 405-417; *Sitta canadensis*, 405-417; *S. carolinensis*, 405-417; *S. pygmaea*, 405-417; *Spheniscus demersus*, 548-554; *S. magellanicus*, 923-932; *Sphyrapicus thyroideus*, 405-417; *S. varius*, 405-417; *Troglodytes aedon*, 405-417; *Tympanuchus cupido*, 896-902, 903  
Nestling of *Aethia pusilla*, 131-144; *Agelaius phoeniceus*, 711-715; *Cerorhinca monocerata*, 842-850; *Certhia familiaris*, 180-183; *Myiarchus cinerascens*, 34-40; *Oceanodroma leucorhoa*, 709-711; *Pandion haliaetus*, 363-368; *Pelecanoides georgicus*, 131-144; *P. urinator*, 131-144; *Sialia mexicana*, 34-40; *Sturnus vulgaris*, 519-529  
Nest parasitism, 16-23, 196-197, 348-354, 679-680, 683  
New Brunswick, 89-97, 147-151, 319-326, 329-340, 719-722, 977-980  
Newfoundland, 147-151  
New Jersey, 363-368, 519-529, 889-894

- New York, 42-50, 393-401, 602-609  
 New Zealand, 960-963  
 Noddy, Brown, 594-600  
 Nolan, Val, Jr., see Wolf, Licia, et al.  
 Nomenclature, 185-186  
 North America, 230-245  
 North Carolina, 8-14, 108-112, 429-431  
 North Dakota, 602-609  
 Northwest Territories, Canada, 319-326  
 Norton, John, Simon Stuart, and Tim Johnson, World checklist of threatened birds (rev.), 451-452  
 Norway, 71-76, 319-326, 329-340, 348-354  
 Nova Scotia, 89-97  
 Nudds, Thomas D., see Barnes, Gregory G., and —  
 Nuthatch, Pygmy, 173-174, 175-176, 405-417; Red-breasted, 405-417; White-breasted, 405-417  
*Nyctidromus albigollis*, 114-124, 128  
 Nyström, K. G. Kenneth, Olof Pehrsson, and Dag Broman, Food of juvenile Common Eiders (*Somateria mollissima*) in areas of high and low salinity, 250-256  
*Oceanites oceanicus*, 801-808  
*Oceanodroma leucorhoa*, 709-711  
 Ogi, Haruo, and Kouzi Shiomi, Diet of murrelets caught incidentally during winter in northern Japan, 184-185  
 O'Halloran, John, see Yoerg, Sonja I., and —  
 O'Hara, Robert J., review by, 990-994  
 Ohio, 277-283, 725-727, 728-730  
 Ohmart, R. D., see Rosenberg, K. V., et al.  
 Olfaction in *Bombicilla cedrorum*, 177-179; *Tachycineta bicolor*, 177-179  
 Oliphant, Lynn W., see Warkentin, Ian G., et al.  
 Olson, John M., Thermal relations of nestling Red-winged Blackbirds in southeastern Michigan, 711-716  
*Oncostoma cinereigulare*, 114-124, 129  
 O'Neill, John P., Charles A. Munn, and Irma Franke J., *Nannopsittaca dachilleae*, a new species of parrotlet from eastern Peru, 225-229  
 Ontario, 170-173, 965-966  
*Onychorhynchus mexicanus*, 114-124, 129  
*Oporornis formosus*, 114-124, 129  
*O. philadelphia*, 114-124, 129, 147-151  
 Oregon, 602-609  
 Oring, Lewis W., see Alberico, Julie A. R., et al.  
 Ortega, Catherine P., and Alexander Cruz, A comparative study of cowbird parasitism in Yellow-headed Blackbirds and Red-winged Blackbirds, 16-24  
*Oryzoborus funereus*, 114-124, 130  
 Osprey, 363-368  
 Ovenbird, 114-124, 129, 147-151  
 Ovenden, J. R., A. Wust-Saucy, R. Bywater, N. Brothers, and R. W. G. White, Genetic evidence for philopatry in a colonially nesting seabird, the Fairy Prion (*Pachyptila turtur*), 688-694  
 Owl, Great Horned, 655, 658, 964-965; Northern Saw-whet, 437-439  
*Pachyptila desolata*, 790-798, 801-808  
*P. turtur*, 688-693  
*Pagodroma nivea*, 790-798  
 Panama, 780-788  
*Pandion haliaetus*, 363-368  
 Panza, Robin K., see Parkes, Kenneth C., and —  
*Parabuteo unicinctus*, 108-112, 619-634, 638-647, 649-659, 661-670  
 Parake, Common, 114-124, 128  
 Parasitism (see Nest parasitism)  
 Parkes, Kenneth C., and Robin K. Panza, The type locality of *Fringilla savanna* Wilson, 185-186  
 Parrotlet, Amazonian, 225-228, 229; Green-rumped, 863-870  
*Parus caeruleus*, 820-829, 833-840, 968  
*P. carolinensis*, 725-727  
*P. gambeli*, 405-417  
*P. major*, 187-189  
 Pasquier, Roger F., review by, 747-748  
*Passerculus sandwichensis*, 185-186  
 Payne, L. L., see Payne, R. B., et al.  
 Payne, R. B., L. L. Payne, I. Rowley, and E. M. Russell, Social recognition and response to song in cooperative Red-winged Fairy-wrens, 811-819  
 Pearson, Scott M., Food patches and the spacing of individual foragers, 355-362  
 Pehrsson, Olof, see Nyström, K. G. Kenneth, et al.  
 Penguin, Adélie, 790-798; Emperor, 795-798; Gentoo, 801-808; Jackass, 548-554; Macaroni, 801-808; Magellanic, 923-932; Rockhopper, 960-963  
 Pennsylvania, 177-179  
 Peru, 225-228  
 Petrel, Antarctic, 790-798; Cape, 795, 801-808; Snow, 790-798; White-chinned, 790-798, 801-808  
*Petroica multicolor*, 190-194  
*Phaenostictus mcleannani*, 114-124, 128  
*Phaetholypis fulvicauda*, 114-124, 129  
*Phaethon lepturus*, 911-921  
*Phaethornis longuemareus*, 114-124, 128  
*P. superciliosus*, 114-124, 128  
 Phalarope, Red, 771-777, 778; Red-necked, 771-777, 778; Wilson's, 771-777, 778  
*Phalaropus fulicaria*, 771-777, 778  
*P. lobatus*, 771-777, 778  
*P. tricolor*, 771-777, 778  
 Phillips, Allan R., The known birds of North and Middle America: distribution and variation, migrations, changes, hybrids, etc. Part I, Hirundinidae to Mimidae, Certhiidae (rev.), 999-1003  
 Philopatry in *Pachyptila turtur*, 668-698  
*Phoebastria palpebrata*, 790-798  
*Phoeniculus purpureus*, 285-292  
*Phylidonyris nigra*, 99-105  
*P. novaehollandiae*, 99-105  
*Phylloscopus collybita*, 350-354

- P. trochilus*, 350-354  
 Phylogeny (see Taxonomy)  
 Physiology, digestion (see Physiology, metabolism); energy cost of activities, 34-40, 131-144, 614-617; flight, 108-112; growth, 695-703, 725-727, 893-894; hormones, 619-634, 638-647; metabolism, 34-40, 71-76, 79-86, 131-144, 614-617; nutrient reserves, 131-144, 556-560, 695-703, 709-711, 725-727, 893-894; nutritional status (see Physiology, nutrient reserves); olfaction, 177-179; osmoregulation, 89-97; temperature regulation, 38-39, 73-74, 74-75, 285-292, 711-715  
*Physiology of Aethia pusilla*, 131-144; *Agelaius phoeniceus*, 562-566, 711-715; *Alle alle*, 71-76; *Ammodramus deserti*, 556-560; *Anas platyrhynchos*, 89-97; *A. rubripes*, 89-97; *Bombicilla cedrorum*, 177-179; *Galerida cristata*, 556-560; *Haliaeetus leucocephalus*, 614-617; *Melanerpes formicivorus*, 79-86; *Myiarchus cinerascens*, 34-40; *Oceanodroma leucorhoa*, 709-711; *Parabuteo unicinctus*, 108-112, 619-634, 638-647; *Parus carolinensis*, 725-727; *Pelecanoides georgicus*, 131-144; *P. urinatrix*, 131-144; *Phoeniculus purpureus*, 285-292; *Sialia mexicana*, 34-40; *Sturnus vulgaris*, 893-894; *Tachycineta bicolor*, 177-179; *Zonotrichia leucophrys*, 695-703  
 Pickford, B., see Pickford, P., et al.  
 Pickford, P., B. Pickford, and W. Tarboton, African birds of prey (rev.), 458  
*Picoides borealis*, 200-201, 419-422  
*P. nuttallii*, 303-313  
*P. pubescens*, 405-417  
*P. villosus*, 405-417  
 Piersma, Theunis, and Nick C. Davidson, Commentary: Confusions of mass and size, 441-443; see Ens, B. J., et al.  
 Pigmentation of *Larus argentatus*, 329-340; *L. cachinnans*, 329-339; *L. hyperboreus*, 329-340; *Nannopsittaca dachilleae*, 226-227, 229; *Spreo bicolor*, 53-58  
 Pintail, Northern, 934-940  
*Pipilo erythrophthalmus*, 264-274  
 Pipit, Meadow, 350-354  
*Pipra mentalis*, 114-124, 129  
*Piprites griseiceps*, 114-124, 129  
*Piranga rubra*, 114-124, 129  
*Pitangus sulphuratus*, 114-124, 129  
 Pitocchelli, Jay, see Martin, Jean-Louis, and ———  
 Place, Allen R., Paul Sievert, and Ronald G. Butler, The volume of stomach oils increases during pre-fledging weight loss in Leach's Storm-Petrel (*Oceanodroma leucorhoa*) chicks, 709-711  
*Platyrinchus coronatus*, 114-124, 129  
 Plumages (see Molts and ———)  
 Plumeleteer, Bronze-tailed, 114-124, 128  
 Polyandry (see Mating systems)  
 Polygamy (see Mating systems)  
 Polygyny (see Mating systems)  
 Power, D. M. (Ed.), Current ornithology, vol. 7 (rev.), 459  
 Power, Harry W., see Stouffer, Philip C., and ———  
 Prairie-Chicken, Greater, 896-902, 903  
 Predation by *Arenaria interpres*, 904-908; *Bubo virginianus*, 655, 658; *Larus argentatus*, 906  
 Predation on *Actitis macularia*, 904-908; *Agelaius phoeniceus*, 18, 20, 22; *Cistothorus palustris*, 171, 172; *Forpus passerinus*, 865; *Merops bullockoides*, 682; *Myiarchus cinerascens*, 40; *Parabuteo unicinctus*, 655, 658; *Petroica multicolor*, 190-194; *Phaethon lepturus*, 915, 916-917, 920; *Phylidonyris nigra*, 103-104, 104-105; *P. novaehollandiae*, 103-104, 104-105; *Sialia mexicana*, 40; *Sphyrapicus thyroideus*, 409; *Sterna hirundo*, 904-908; *Tachycineta bicolor*, 719-722; *Xanthocephalus xanthocephalus*, 18, 20, 22  
 Prince Edward Island, 89-97, 319-326, 329-340  
 Prince, Peter A., see Harrison, Nancy M., et al.  
 Prion, Antarctic, 790-798, 801-808; Fairy, 688-693  
*Procellaria aequinoctialis*, 790-798, 801-808  
 Procter-Gray, Elizabeth, Female-like plumage of subadult male American Redstarts does not reduce aggression from other males, 872-879  
 Pruett-Jones, S. G., review by, 737-739  
*Prunella modularis*, 350-354  
*Pteroglossus torquatus*, 114-124, 128  
 Ptilochronology, 695-703, 725-727, 889-894  
 Puerto Rico, 911-921  
 Puffbird, White-whiskered, 114-124, 128  
 Puffin, Atlantic, 755-761  
*Puffinus gravis*, 801-808  
*P. griseus*, 801-808  
*Pygoscelis adeliae*, 790-798  
*P. papua*, 801-808  
 Pyke, Graham H., see Armstrong, Doug P., and ———  
 Pyle, Peter, Larry B. Spear, William J. Sydeman, and David G. Ainley, The effects of experience and age on the breeding performance of Western Gulls, 25-33  
 Quail-Dove, Olive-backed, 114-124, 128; Ruddy, 114-124, 128  
 Quebec, 977-980  
 Quinn, Thomas W., Gerald F. Shields, and Allan C. Wilson, Affinities of the Hawaiian Goose based on two types of mitochondrial DNA data, 585-593  
 Raikow, Robert J., review by, 985-987  
 Rail, Roviana, 461-469  
 Rakonczay, Zoltán (Ed.), Vörös Könyv [Red data book of Hungary] (rev.), 221  
 Ralph, C. John, reviews by, 1005-1007  
*Ramphocaenus melanurus*, 114-124, 129  
*Ramphocelus passerinii*, 114-124, 129  
*R. sanguinolentus*, 114-124, 129  
*Ramphastos sulfuratus*, 114-124, 128  
 Ratcliffe, Laurene M., see Schluter, Dolph, et al.; see Seutin, Gilles, et al.  
*Recurvirostra americana*, 771-777, 778  
 Redpoll, Common, 166-169  
 Redstart, American, 147-151, 872-878  
 Redwing, 350-354

- Reed, J. Michael, see Alberico, Julie A. R., et al.  
 Reed-Bunting, Common, 350-354  
*Regulus calendula*, 880-887  
*R. satrapa*, 880-887  
 Remsen, J. V., Jr., and Melvin A. Traylor Jr., An annotated list of the birds of Bolivia (rev.), 445-446  
*Rhynchocyclus brevirostris*, 114-124, 129  
*Rhytipterna holerythra*, 114-124, 129  
 Ricklefs, Robert E., review by, 445-446  
 Ridgely, Robert S., review by, 445-446  
 Robin, American, 230-245, 248-249, 965-966; Clay-colored, 114-124, 129; Pale-vented, 114-124, 129; Scarlet, 190-194  
 Robinson, Kathryn D., and John T. Rotenberry, Clutch size and reproductive success of House Wrens rearing natural and manipulated broods, 277-284  
 Roby, Daniel D., A comparison of two noninvasive techniques to measure total body lipid in live birds, 509-518; Diet and postnatal energetics in convergent taxa of plankton-feeding seabirds, 131-146  
 Rohwer, Frank C., Commentary: Response to T. M. Blackburn, 211-213  
 Root, Terry, and Peter Stacey, Editorial: The conservation crisis, 199; see Stacey, Peter B., and —  
 Rootes, William L., see Zink, Robert M., et al.  
 Rosenberg, K. V., R. D. Ohmart, W. C. Hunter, and B. W. Anderson, Birds of the lower Colorado River valley (rev.), 1008  
 Røskaft, Eivind, see Moksnes, Arne, et al.  
 Rotenberry, John T., see Robinson, Kathryn D., and —  
 Rowley, Ian, Behavioral ecology of the Galah (rev.), 745-746; see Payne, R. B., et al.  
 Russell, E. M., see Payne, R. B., et al.  
 Safriel, Uriel N., see Shkedy, Yehoshua, and —  
 Saltator, Buff-throated, 114-124, 130  
*Saltator maximus*, 114-124, 130  
 Sanderling, 771-777, 778  
 Sandpiper, Spotted, 904-908, 946-949, 950; Stilt, 771-777, 778; Western, 771-777, 778  
 Santa Barbara Software Products, North American/World Birdbase, Version 2 (rev.), 456  
 Sapsucker, Red-naped, 405-417; Williamson's, 405-417  
 Saskatchewan, 89-97, 294-301  
 Sauer, John R., and Sam Droege (Eds.), Survey designs and statistical methods for the estimation of avian population trends (rev.), 1005-1006  
 Saunders, Sari, see Keast, Allen, and —  
 Savard, Jean-Pierre L., G. E. John Smith, and J. N. M. Smith, Duckling mortality in Barrow's Goldeneye and Bufflehead broods, 568-577  
 Schaffner, Fred Charles, Nest-site selection and nesting success of White-tailed Tropicbirds (*Phaethon lepturus*) at Cayo Luis Peña, Puerto Rico, 911-922  
 Schluter, Dolph, Laurene M. Ratcliffe, and Peter R. Grant, Commentary: The taxonomic status of the small Genovesa ground-finch in the Galápagos, 201-204  
 Schmidt-Koenig, K., see van den Elzen, R., et al.  
 Schroeder, Michael A., Movement and lek visitation by female Greater Prairie-Chickens in relation to predictions of Bradbury's female preference hypothesis of lek evolution, 896-903  
 Schuchmann, K.-L., see van den Elzen, R., et al.  
 Schulenberg, Thomas S., and Douglas F. Stotz, The taxonomic status of *Myrmeciza stictothorax* (Todd), 731-733  
*Sclerurus guatemalensis*, 114-124, 128  
 Scotland, 755-761  
 Scott, Thomas A., and Michael L. Morrison, Natural history and management of the San Clemente Loggerhead Shrike (rev.), 457  
 Sealy, Spencer G. (Ed.), Auks at sea (rev.), 996-999; see Hobson, Keith A., and —  
 Seddon, Philip J., and Yolanda van Heezik, Effects of hatching order, sibling asymmetries, and nest site on survival analysis of Jackass Penguin chicks, 548-555  
 Seedeater, Variable, 114-124, 130  
 Seed-Finch, Thick-billed, 114-124, 130  
 Seegar, Janis K. D., see Buehler, David A., et al.  
*Seiurus aurocapillus*, 114-124, 129, 147-151  
*S. motacilla*, 114-124, 129  
*S. noveboracensis*, 114-124, 129, 147-151  
*Setophaga ruticilla*, 147-151, 872-878  
 Seutin, Gilles, Peter T. Boag, Bradley N. White, and Laurene M. Ratcliffe, Sequential polyandry in the Common Redpoll (*Carduelis flammea*), 166-170  
 Sex, determination of, 206-207  
 Sex ratio of *Parabuteo unicinctus*, 662-663  
 Sexual dimorphism of *Parus caeruleus*, 835-836, 837-838  
 Shearwater, Greater, 801-808; Sooty, 801-808  
 Shields, Gerald F., review by, 748; see Quinn, Thomas W., et al.  
 Shiomi, Kouzi, see Ogi, Haruo, and —  
 Shkedy, Yehoshua, and Uriel N. Safriel, Fat reserves of an opportunist and of a specialist species in the Negev Desert, 556-561  
 Short, Lester L., Jennifer F. M. Horne, and Cecilia Muringo-Gichuki, Annotated check-list of the birds of East Africa (rev.), 743-744  
 Shoveler, Northern, 934-940  
 Shutler, Dave, see Weatherhead, Patrick J., et al.  
*Sialia mexicana*, 34-40, 405-417  
 Sibley, Charles G., and Jon E. Ahlquist, Phylogeny and classification of birds: a study in molecular evolution (rev.), 985-994  
 Sicklebill, White-tipped, 114-124, 128  
 Siegfried, W. Roy, see Williams, Joseph B., et al.  
 Sievert, Paul R., see Anderson, David J., et al.; see Place, Allen R., et al.  
*Sitta canadensis*, 405-417  
*S. carolinensis*, 405-417  
*S. pygmaea*, 173-174, 175-176, 405-417  
 Skua, Southern, 801-808



- Sloane, Sarah A., review by, 449-451
- Smith, G. E. John, see Savard, Jean-Pierre L., et al.
- Smith, J. N. M., see Savard, Jean-Pierre L., et al.
- Smith, Thomas Bates, review by, 216-218
- Snell, Richard R., Interspecific allozyme differentiation among North Atlantic white-headed larid gulls, 319-328; Variably plumaged Icelandic Herring Gulls reflect founders not hybrids, 329-341
- Snowcap, 114-124, 128
- Solomon Islands, 461-469
- Somateria mollissima*, 250-255
- Song (see Vocalizations)
- Sooty-Albatross, Light-mantled, 790-798
- Soper, Tony, see Sparks, John, and —
- South Africa, 53-58, 548-554
- South Carolina, 723-725
- Spadebill, Golden-crowned, 114-124, 129
- Sparks, John, and Tony Soper, Parrots: a natural history (rev.), 747-748
- Sparrow, Bachman's, 723-725; Black-striped, 114-124, 130; Field, 42-50, 355-361; Golden-crowned, 578-583, 584; Harris', 578-583, 584; Orange-billed, 114-124, 130; Rufous-collared, 432-436, 578-583, 584; Savannah, 185-186; White-crowned, 578-583, 584, 695-703; White-throated, 8-14, 355-361, 578-583, 584
- Spear, Larry B., see Pyle, Peter, et al.
- Speciation, 326
- Spectrograms of *Catharus fuscescens*, 978; *Malurus elegans*, 813; *Spizella pusilla*, 45
- Speich, Steven M., and Terence R. Wahl, Catalog of Washington seabird colonies (rev.), 221-222
- Speir, T. W., see Mizutani, Hiroshi, et al.
- Spheniscus demersus*, 548-554
- S. magellanicus*, 923-932
- Sphyrapicus thyroides*, 405-417
- S. varius*, 405-417
- Spinetail, Slaty, 114-124, 128
- Spizella pusilla*, 42-50, 355-361
- Spofford, Sally H., see Spofford, Walter R., and —
- Spofford, Walter R., and Sally H. Spofford, review by, 739-741
- Sporophila aurita*, 114-124, 130
- Spreo bicolor*, 53-58
- Stacey, Peter, and Walter D. Koenig (Eds.), Cooperative breeding in birds: long-term studies of ecology and behavior (rev.), 449-451; and Terry L. Root, Commentary: The conservation crisis: A proposed new federal agency for research on the environment, 734-735; see Root, Terry, and —
- Stap, Don, A parrot without a name: the search for the last unknown birds on earth (rev.), 748
- Starling, African Pied, 53-58; European, 519-529, 889-894
- Statistical and analytical methods (see also Census methods; Genetics, techniques; Ptilochronology), 3-4, 432-436, 441-442, 443-444, 695-703, 853-861, 942-951, 956-957, 959, 960-963, 967-968
- Steidl, Robert J., and Curtice R. Griffin, Growth and brood reduction of mid-Atlantic coast Ospreys, 363-370
- Sterna hirundo*, 904-908
- S. paradisaea*, 790-798
- Stokes, Allen W., In memoriam: David Finley Barth, 707
- Stokes, David L., and P. Dee Boersma, Effects of substrate on the distribution of Magellanic Penguin (*Spheniscus magellanicus*) burrows, 923-933
- Storm-Petrel, Black-bellied, 801-808; Leach's, 709-711; Wilson's, 801-808
- Stotz, Douglas F., see Schulenberg, Thomas S., and —
- Stouffer, Philip C., and Harry W. Power, An experimental test of the brood-reduction hypothesis in European Starlings, 519-531; see White, Douglas W., et al.
- Stuart, Simon, see Norton, John, et al.
- Sturnus vulgaris*, 519-529, 889-894
- Suhonen, Jukka, see Kuitunen, Markku, and —
- Sula leucogaster*, 260-262
- Swallow, Barn, 956-957; Tree, 177-179, 393-401, 719-722
- Swanson, Gustav A., In memoriam: Kai Curry-Lindahl, 953-954
- Sweden, 250-255
- Sweijd, Neville, and Adrian J. F. K. Craig, Histological basis of age-related changes in iris color in the African Pied Starling (*Spreo bicolor*), 53-59
- Sydeman, William J., Facultative helping by Pygmy Nuthatches, 173-176; see Pyle, Peter, et al.
- Sylvia atricapilla*, 350-354
- S. borin*, 350-354
- Synallaxis brachyura*, 114-124, 128
- Taberlet, Pierre, and Jean Bouvet, A single plucked feather as a source of DNA for bird genetic studies, 959-960
- Tachycineta bicolor*, 177-179, 393-401, 719-722
- Tachyphonus delatrii*, 114-124, 129
- T. luctuosus*, 114-124, 129
- Tanager, Blue-gray, 114-124, 129; Crimson-collared, 114-124, 129; Dusky-faced, 114-124, 129; Golden-masked, 114-124, 129; Olive, 114-124, 129; Scarlet-rumped, 114-124, 129; Summer, 114-124, 129; Tawny-crested, 114-124, 129; White-shouldered, 114-124, 129
- Tangara larvata*, 114-124, 129
- Taraba major*, 114-124, 128
- Tarboton, W., see Pickford, P., et al.
- Taxonomy of Anatini, 471-488, 493-507; *Branta bernicla*, 585-592; *B. canadensis*, 585-592; *Bubo virginianus*, 964-965; *Calidris alba*, 771-777; *C. canutus*, 771-777; *C. himantopus*, 771-777; *C. mauri*, 771-777; *Chen canagica*, 585-592; *Fratercula arctica*, 761; *Gallirallus roivanae*, 464-465; *Geospiza difficilis*, 201-204, 204-206; *G. fuliginosa*, 201-204, 204-206; *Limnodromus griseus*, 771-777; *Myrmeciza sticto-*

- thorax, 731-733; *Nannopsittaca dachilleae*, 226; *Nesochen sanduicensis*, 585-592; *Phalaropus fulicaria*, 771-777; *P. lobatus*, 771-777; *P. tricolor*, 771-777; *Recurvirostra americana*, 771-777; *Tringa melanoleuca*, 771-777; *Zonotrichia albicollis*, 578-583; *Z. atricapilla*, 578-583; *Z. capensis*, 578-583; *Z. leucophrys*, 578-583; *Z. querula*, 578-583
- Taylor, Jan R. E., see Gabrielsen, Geir Wing, et al.
- Taylor, Rebecca L., Stanley A. Temple, and David M. Bird, Nutritional and energetic implications for raptors consuming starving prey, 716-719
- Tazawa, Hiroshi, Osamu Kuroda, and G. Causey Whitow, Noninvasive determination of embryonic heart rate during hatching in the Brown Noddy (*Anous stolidus*), 594-601
- Teal, Blue-winged, 934-940
- Techniques, activity recorder, 257-262
- Temple, Stanley A., see Taylor, Rebecca L., et al.
- Terenotriccus erythrurus*, 114-124, 129
- Tern, Arctic, 790-798; Common, 904-908
- Territory of *Parabuteo unicinctus*, 665, 667; *Tympanuchus cupido*, 896-902, 903
- Texas, 853-861
- Thalassoica antarctica*, 790-798
- Thalurania colombica*, 114-124, 128
- Thamnophilus punctatus*, 114-124, 128
- Thompson, Charles F., see Drilling, Nancy E., and
- Thompson, John D., and Guy A. Baldassarre, Activity patterns of Nearctic dabbling ducks wintering in Yucatan, Mexico, 934-941
- Thraupis episcopus*, 114-124, 129
- Threnetes ruckeri*, 114-124, 128
- Thrush, Gray-cheeked, 114-124, 129; Song, 350-354; Swainson's, 114-124, 129; Wood, 114-124, 129
- Thryothorus atrogularis*, 114-124, 129
- T. nigricapillus*, 114-124, 129
- Tiersch, Terrence R., Ronald L. Mumme, Robert W. Chandler, and Dean Nakamura, Commentary: The use of flow cytometry for rapid identification of sex in birds, 206-208
- Tinamou, Little, 114-124, 128
- Tit, Blue, 820-829, 833-840, 968; Great, 187-189
- Tityra, Masked, 114-124, 129
- Tityra semifasciata*, 114-124, 129
- Tolmomyias assimilis*, 114-124, 129
- Tordoff, Harrison B., In memoriam: Robert M. Mengel, 161-164
- Toucan, Keel-billed, 114-124, 128
- Towhee, Rufous-sided, 264-274
- Trapp, John L., David A. Wiedenfeld, Hugh A. Ford, and Robert D. Magrath (Eds.), Recent Ornithological Literature supplement, 1A-63A, 1B-41B, 1C-46C, 1D-69D
- Traylor, Melvin A., Jr., see Remsen, J. V., Jr., and
- Treecreeper, Common, 180-183
- Tringa melanoleuca*, 771-777, 779
- Troglodytes aedon*, 60-69, 277-283, 405-417, 728-730
- Trogon, Black-throated, 114-124, 128
- Trogon rufus*, 114-124, 128
- Tropicbird, White-tailed, 911-921
- Tucker, Vance A., The effect of molting on the gliding performance of a Harris' Hawk (*Parabuteo unicinctus*), 108-113; Stereoscopic views of three-dimensional, rectangular flight paths in descending African White-backed Vultures (*Gyps africanus*), 1-7
- Turdus grayi*, 114-124, 129
- T. iliacus*, 350-354
- T. merula*, 350-354
- T. migratorius*, 230-245, 248-249, 965-966
- T. obsoletus*, 114-124, 129
- T. philomelos*, 350-354
- T. pilaris*, 350-354
- Turnstone, Ruddy, 904-908
- Tympanuchus cupido*, 896-902, 903
- Tyrannulet, Yellow, 114-124, 128
- Tyrannus tyrannus*, 114-124, 129
- Udvardy, Miklos D. F., reviews by, 221, 222
- Uria aalge*, 184-185
- U. lomvia*, 184-185
- Vagvolgyi, Joseph, and Maria W. Vagvolgyi, Commentary: Response to Schluter, Ratcliffe, and Grant, 204-206
- Vagvolgyi, Maria W., see Vagvolgyi, Joseph, and
- van den Elzen, R., K.-L. Schuchmann, and K. Schmidt-Koenig (Eds.), Current topics in avian biology. Proceedings of the International Centennial Meeting of the Deutsche Ornithologen-Gesellschaft 1988. Supplement to the *Journal für Ornithologie* (rev.), 746
- van Heezik, Yolanda, see Seddon, Philip J., and
- van Rhijn, Johan G., The Ruff (rev.), 1007-1008
- Veery, 977-980
- Veit, Richard R., and George L. Hunt Jr., Broad-scale density and aggregation of pelagic birds from a circumnavigational survey of the Antarctic Ocean, 790-800; see Harrison, Nancy M., et al.
- Venezuela, 863-870
- Vermivora peregrina*, 147-151
- V. pinus*, 114-124, 129
- Virginia, 371-379
- Vleck, Carol Masters, Nora A. Mays, James W. Dawson, and Arthur R. Goldsmith, Hormonal correlates of parental and helping behavior in cooperatively breeding Harris' Hawks (*Parabuteo unicinctus*), 638-648; see Mays, Nora A., et al.
- Vocalizations, 203, 228, 443-444, 582, 977-980; variety of, 42-50, 187-189
- Vocalizations of *Catharus fuscescens*, 977-980; *Geospiza difficilis*, 203; *Nannopsittaca dachilleae*, 228; *Parus major*, 187-189; *Spizella pusilla*, 42-50; *Zonotrichia capensis*, 582; *Z. leucophrys*, 582; *Z. querula*, 582
- Vulture, White-backed, 1-6

- Wagtail, Gray, 427-429; White, 350-354; Yellow, 350-354
- Wahl, Terence R., see Speich, Steven M., and —
- Wales, 427-429
- Waltman, James R., see Beissinger, Steven R., and —
- Warbler, Bay-breasted, 114-124, 129; Black-and-white, 147-151; Blackpoll, 147-151; Blue-winged, 114-124, 129; Buff-rumped, 114-124, 129; Canada, 114-124, 129; Chestnut-sided, 114-124, 129; Garden, 350-354; Icterine, 350-354; Hooded, 114-124, 129; Kentucky, 114-124, 129; Magnolia, 147-151; Mourning, 114-124, 129, 147-151; Prairie, 264-274, 945; Tennessee, 147-151; Willow, 350-354; Wilson's, 147-151; Worm-eating, 114-124, 129; Yellow, 196-197; Yellow-rumped, 147-151
- Warham, John, The petrels: their ecology and breeding systems (rev.), 1003
- Warheit, Kenneth I., review by, 447-449
- Warkentin, Ian G., Paul C. James, and Lynn W. Oliphant, Influence of site fidelity on mate switching in urban-breeding Merlins (*Falco columbarius*), 294-302
- Washington, 381-390, 602-609
- Wasserman, Fred E., see Morimoto, David C., et al.
- Waterthrush, Louisiana, 114-124, 129; Northern, 114-124, 129, 147-151
- Watts, Bryan D., see Dunning, John B., Jr., and —
- Waxwing, Cedar, 177-179
- Weary, Daniel M., How Great Tits use song-note and whole-song features to categorize their songs, 187-190; Ronald G. Weisman, Robert E. Lemon, Tina Chin, and Johanne Mongrain, Use of the relative frequency of notes by Veeries in song recognition and production, 977-981
- Weather, influence on (see Environment, influence on)
- Weatherhead, Patrick J., The adaptive value of thick-shelled eggs for Brown-headed Cowbirds, 196-198; Gordon F. Bennett, and Dave Shutler, Sexual selection and parasites in wood-warblers, 147-152; Robert D. Montgomerie, and Susan B. McRae, Egg-laying times of American Robins, 965-967
- Weights (see Mass and measurements)
- Weisman, Ronald G., see Weary, Daniel M., et al.
- Weller, Susan J., see Zink, Robert M., and —
- Wheelwright, Nathaniel T., and F. Blinn Dorsey, Short-term and long-term consequences of predator avoidance by Tree Swallows (*Tachycineta bicolor*), 719-723
- Wheye, D., see Ehrlich, P. R., et al.
- White, Bradley N., see Seutin, Gilles, et al.
- White, Douglas W., E. Dale Kennedy, and Philip C. Stouffer, Feather regrowth in female European Starlings rearing broods of different sizes, 889-895
- White, R. W. G., see Ovenden, J. R., et al.
- Whitehouse, Michael J., see Harrison, Nancy M., et al.
- Whittington, P., see Marchant, J. H., et al.
- Whittow, G. Causey, see Tazawa, Hiroshi, et al.
- Wiedenfeld, David A., review by, 456-457; see Trapp, John L., et al.
- Wigeon, American, 934-940; Chiloe, 969-972
- Wilds, Claudia P., review by, 446-447
- Wiley, R. Haven, Both high- and low-ranking White-throated Sparrows find novel locations of food, 8-15
- Williams, Joseph B., Morné A. du Plessis, and W. Roy Siegfried, Green Woodhoopoes (*Phoeniculus purpureus*) and obligate cavity roosting provide a test of thermoregulatory insufficiency hypothesis, 285-293
- Wilson, Allan C., see Quinn, Thomas W., et al.
- Wilsonia canadensis*, 114-124, 129
- W. citrina*, 114-124, 129
- W. pusilla*, 147-151
- Wolf, Licia, Ellen D. Ketterson, and Val Nolan Jr., Female condition and delayed benefits to males that provide parental care: a removal study, 371-380
- Wolff, W. J., see Ens, B. J., et al.
- Woodcreeper, Barred, 114-124, 128; Buff-throated, 114-124, 128; Plain-brown, 114-124, 128; Spotted, 114-124, 128; Wedge-billed, 114-124, 128
- Woodhaunter, Striped, 114-124, 128
- Woodhoopoe, Green, 285-292
- Woodnymph, Crowned, 114-124, 128
- Woodpecker, Acorn, 79-86, 405-417; Chestnut-colored, 114-124, 128; Downy, 405-417; Hairy, 405-417; Nuttall's, 303-313; Red-cockaded, 200-201, 419-422
- Wood-Wren, White-breasted, 114-124, 129
- Wrege, Peter H., and Stephen T. Emlen, Breeding seasonality and reproductive success of White-fronted Bee-eaters in Kenya, 673-687
- Wren, Bay, 114-124, 129; Black-throated, 114-124, 129; House, 60-69, 277-283, 405-417, 728-730; Marsh, 170-173; Nightingale, 114-124, 129; Song, 114-124, 129
- Wust-Saucy, A., see Ovenden, J. R., et al.
- Xanthocephalus xanthocephalus*, 16-23
- Xenops minutus*, 114-124, 128
- Xenops, Plain, 114-124, 128
- Xiphorhynchus erythropygus*, 114-124, 128
- X. guttatus*, 114-124, 128
- Ydenberg, R. C., see Bertram, D. F., et al.
- Yellowhammer, 350-354
- Yellowlegs, Greater, 771-777, 779
- Yellowthroat, Common, 264-274; Olive-crowned, 114-124, 129
- Yoerg, Sonya I., and John O'Halloran, Dipper nestlings fed by a Gray Wagtail, 427-429
- Zink, Robert M., Donna L. Dittmann, and William L.

- Rootes, Mitochondrial DNA variation and the phylogeny of *Zonotrichia*, 578-584; and Susan J. Weller, review by, 452-455; see Dittmann, Donna L., and ———
- Zonotrichia albicollis*, 8-14, 355-361, 578-583, 584
- Z. atricapilla*, 578-583, 584
- Z. capensis*, 432-436, 578-583, 584
- Z. leucophrys*, 578-583, 584, 695-703
- Z. querula*, 578-583, 584
- Zwarts, L., see Ens, B. J., et al.

DATE OF ISSUE (Vol. 108, No. 4): 13 November 1991